

Francois Jacobus ROSSOUW

R E M A R K S

The above changes in the claims merely place this national phase application in the same condition as it was during Chapter II of the international phase, with the multiple dependencies being removed. Following entry of this amendment by substitution of the pages, only claims 1-24 remain pending in this application.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE".

Respectfully submitted,

YOUNG & THOMPSON

By



Benoit Castel  
Attorney for Applicant  
Customer No. 000466  
Registration No. 35,041  
745 South 23<sup>rd</sup> Street  
Arlington, VA 22202  
Telephone: 703/521-2297

May 4, 2001

09834026-050401  
101050-9201266

VERSION WITH MARKINGS TO SHOW CHANGES MADE

The claims have been amended as follows:

4. (Amended) A device as claimed in ~~any one of~~ claims ~~1 to 3~~, wherein the support is of larger cross sectional dimension than the axial length of the fluid applicator with which it is to be used, said support being adapted to float at or on the surface of the fluid with the fluid applicator engaging means at or just below the surface of the fluid.

5. (Amended) A device as claimed in ~~any one of the~~ ~~preceding claims~~ 1, wherein, in the case of the fluid applicator being a roller, the support and fluid applicator engaging means are adapted so that the roller can be rolled over at least part of the fluid applicator engaging means to bring it in contact with the fluid in the container.

6. (Amended) A device as claimed in ~~any one of the~~ ~~preceding claims~~ 1, wherein the fluid in the container is a coating composition, such as paint, and the roller picks up the paint onto its applicator surface by the action of rolling it over the fluid applicator engaging means and the fluid surface.

8. (Amended) A device as claimed in claim ~~6 or~~ ~~claim 7~~, including a centre piece defining the opening and connected to the support by the arms.

Francois Jacobus ROSSOUW

9. (Amended) A device as claimed in claim 7 ~~or claim 8~~, wherein the arms are made of a flexible material, the length of the arms determining the freedom of movement of the centre piece relative to the support.

10. (Amended) A device as claimed in ~~any one of claims 7 to claim 9~~7, wherein the arms are made of a resiliently deformable material.

12. (Amended) A device as claimed in ~~any one of claims 8 to 11~~, wherein the centre piece comprises the stirrer element opening.

13. (Amended) A device as claimed in ~~any one of claims 7 to 12~~, wherein the fluid applicator engaging means is in the form of projections provided on the arms and configured to engage the fluid applicator.

14. (Amended) A device as claimed in ~~any one of the preceding claims~~1, wherein the support is of inverted channel-shape section to assist it to float.

15. (Amended) A device as claimed in ~~any one of claims 7 to 14~~, wherein support and/or the arms and/or the centre piece have an axially directed lip or flange to increase the fluid drag of the device and to inhibit dunking thereof in the fluid.

Francois Jacobus ROSSOUW

16. (Amended) A device as claimed in ~~any one of the preceding claims~~ 1, wherein the support is non-planar in cross section and adapted to include a fluid applicator engaging portion while being provided with a stirrer aperture configured to permit the fluid in the container to be stirred without removing the fluid dispenser from the container.

18. (Amended) A device as claimed in ~~any one of claims 16 to 17~~, wherein the cross section is parabolic, hyperbolic, or the like.

19. (Amended) A device as claimed in ~~any one of the preceding claims~~ 1, wherein the device is provided with a perforated floor co-operable with the support, the floor being adapted to permit engagement with a fluid applicator while permitting a desired quantity of fluid to come into contact with the applicator.

20. (Amended) A device as claimed in ~~any one of the preceding claims~~ 1, wherein a logo or other information is provided thereon, such that when the dispenser is floating in a fluid the logo or other information is readable.

21. (Amended) A container for a fluent coating composition, the container including a lid and an applicator engagement device as claimed in ~~any one of the preceding claims~~ 1.

Francois Jacobus ROSSOUW

24. (Amended) A lid for a container, the lid being provided with removable zones configured such that when the removable zones are removed the remainder of the lid forms a device as claimed in ~~any one of claims 1 to 20~~ 1.

09831026-050403  
T04050" 9207E860